

3M™ Boron Nitride Cooling Filler Platelets

Introduction

3M Technical Ceramics offers a family of boron nitride materials designed to improve thermal conductivity in polymers. 3M™ Boron Nitride Cooling Filler Platelets are powders of highly crystalline single platelets for thermal management applications. With excellent heat spreading capabilities, 3M™ Boron Nitride Cooling Filler Platelets offer a more economical alternative to mineral- and oxide-based filled compounds.

3M™ Boron Nitride

3M™ Boron Nitride is a versatile ceramic material offering thermal conductivity, temperature stability, chemical resistance and electrical insulation. Its layered structure of hexagonal plates also contributes outstanding lubricating properties.


3M boron nitride products are manufactured at fully dedicated, ISO 9001 and 14001 certified facilities. Our manufacturing processes are optimized for quality, efficiency and consistency – helping ensure reliable and repeatable product performance.

Custom Boron Nitride Materials


Our experienced specialists will work with you to develop and optimize custom boron nitride products for your application. The particle size, powder morphology and chemical composition of 3M boron nitride can be tailored to your specific requirements. We are ready to assist you with initial design and development, and our extensive and well-equipped manufacturing facilities allow us to quickly scale-up to full production.

Product Storage, Handling and Safety


The substance boron nitride contained in the products 3M™ Boron Nitride Cooling Fillers (all grades) has been duly registered in conformance with REACH obligations according to EC directive 1907/2006 (see product Safety Data Sheet for registration number). The products contain less than 0.1 wt % Diboron Trioxide (substance of very high concern – SVHC, technically unavoidable impurity, see SDS). The products do not contain any other SVHC substance of the actual SVHC candidate list.



3M™ Boron Nitride Cooling Filler Platelets
(SEM micrograph)



3M™ Boron Nitride Cooling Filler Platelets
O15/400 HR



3M™ Boron Nitride Cooling Filler Platelets
15/400

Powder Characteristics

Particle size distribution			Bulk density (Scott)	Bulk density (DIN)	Surface area	Grade
d(0.1) μm	d(0.5) μm	d(0.9) μm	g/cm ³		m ² /g	
1–2	2–6	8–12.5	—	< 0.15	< 20	Platelets 003 SF
1–2	2–6	10–22.5	< 0.15	—	< 20	Platelets 003
1.5–3	4.5–8	10–20	< 0.2	—	< 10	Platelets 006
1.5–3	5–8	10–20	< 0.22	—	< 15	Platelets 007 HS
2–3.5	6–9.5	12–25	< 0.22	—	< 10	Platelets 0075
2–3.5	6–12	14–32	< 0.22	—	< 7	Platelets 009
2–4.5	8–14	20–40	< 0.25	—	< 5	Platelets 012
2–8	5–28	30–140	—	—	< 3.5	Platelets O15 / 400 HR
65–120	125–190	200–300	—	0.3–0.55	< 3.5	Platelets 15 / 400

HR = High Reflection | HS = High Surface | SF = Super Fine

For calculation purposes: Density of bulk hBN = 2.25 g/cm³

Typical Physical Properties

BN	> 98.5%*
B ₂ O ₃	< 0.1%
O	< 0.7%**
C	< 0.2%***

* Platelets 15/400 BN > 97.0%

** Platelets 003 SF, Platelets 003 O < 1.1%

*** Platelets 15/400 C < 2.0

Product is manufactured and sold by 3M Technical Ceramics, Zweigniederlassung der 3M Deutschland GmbH.

Warranty and Limitation of Liability: Many factors beyond our control and uniquely within user's knowledge and control can affect the use and performance of the product in a particular application. User is solely responsible for evaluating the product and determining whether it is fit for a particular purpose and suitable for user's method of application. User is solely responsible for evaluating third party intellectual property rights and for ensuring that user's use of the product does not violate any third party intellectual property rights. Unless a different warranty is specifically stated in the applicable product literature or packaging insert, we warrant that each product meets the applicable product specification at the time we ship the product.

WE MAKE NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OF NON-INFRINGEMENT OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE.

The quality of our products is warranted under our General Terms and Conditions of Sale as now are or hereafter may be in force.

Limitation of Liability: Except where prohibited by law, we will not be liable for any loss or damages arising from the product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability. We accept liability for intent and gross negligence. We are also liable for any culpable breach of major contractual obligations; however, if a breach of major contractual obligations is due to negligence, our liability is limited to the foreseeable damage associated with this type of contract. This does not affect our liability for culpable fatal or bodily injury or damage to health; this also applies to liability under the Product Liability Act (*Produkthaftungsgesetz*). Other claims for compensation are excluded.

Technical Information: Technical information, recommendations, and other statements contained in this document or provided by us are based on tests or experience that we believe are reliable, but the accuracy or completeness of such information is not guaranteed. Such information is intended for persons with knowledge and technical skills sufficient to assess and apply their own informed judgment to the information. No license under any of our or third party intellectual property rights is granted or implied with this information.



3M Technical Ceramics

Zweigniederlassung der
3M Deutschland GmbH
Max-Schaidhauf-Straße 25
87437 Kempten, Germany
T +49 (0)831 5618-0
F +49 (0)831 5618-345
info.technical-ceramics@3M.com
www.3M.de / Technical-Ceramics

The management system has been certified according to DIN EN ISO 9001, DIN EN ISO 50001, DIN EN ISO 14001.

Please recycle. Printed in Germany.
© 3M 2016. All rights reserved.
Issued: 11/16

3M is a trademark of 3M.
Used under license by
3M subsidiaries and affiliates.