

# 3M™ Ceramics for Ballistic Protection


## Lightweight – Performance – Flexibility

Modern military equipment must be highly flexible, available for rapid response and provide maximum safety. Among many factors crucial to success, innovative materials play an important role in providing the required performance profile. Ballistic protection is one such area. “Boron Carbide” – technically known as non-oxide ceramics – enable highest protection levels at lowest possible weight.

## A Comparison of Armor Materials

In the key properties essential for ballistic protection, such as hardness, Young’s modulus, sonic velocity and compressive strength, materials from 3M Technical Ceramics, like 3M™ Sintered Silicon Carbide and 3M™ Boron Carbide, are superior to all of the alternative materials (Fig.1).

And as this all comes at lower weight compared to alumina and armor steel, the goal is clear: provide the required ballistic protection at the lowest possible weight.



**Fig. 1:** Comparison of key properties of various armor materials (data normalized to alumina property = 1.0)

## Body Armor

In this application 3M™ ceramic plates are typically combined with a high-end composite backing structure. Polyethylene-based fibers such as Dyneema® or Spectra Shield®, and aramid fibers such as Twaron® and Kevlar®, are used in combination with a variety of resins, chosen specifically to meet the application requirements.

3M Technical Ceramics offers hot pressed boron carbide plates in different designs and sizes. For example a double curved plate in sizes S through XL, a multi curved plate and a single curved side plate. The thickness of the plates can be adjusted to meet the specific threat requirements.

Areal densities of boron carbide composite systems designed for protection according to German **SK4** (7.62 × 51 AP) start at **30 kg/m²**. This is lower in weight than silicon carbide based systems (typically 36 kg/m²) and significantly lower than alumina based systems (typically 42 kg/m²). It allows **weight savings of up to 1 kg** for a typical torso plate. Significant weight savings can also be achieved for plates offering protection levels of NIJ 0101.06 Level IV and Level IV+ (7.62 × 63 M2 AP).

Boron carbide based systems offer highest protection combined with unique weight savings compared to conventional systems, resulting in improved mobility, reduced fatigue and increased comfort for the soldier.



**Fig. 2:** Typical standard components for ballistic protection in 3M™ Sintered Silicon Carbide and 3M™ Boron Carbide

## Vehicle Armor

Optimal ballistic protection of vehicles is the key to safe and successful deployment. Protection is required against a variety of threats in today's theatres, ranging from small arms fire and long range medium and large caliber rounds all the way to mines, roadside bombs, IEDs, EFPs and RPGs. In addition to established materials like metals and composites, ceramic materials play an important role in ballistic protection of vehicles. Through shape design and the use of strategic metal plates, underbelly protection against blast has been increased on many vehicles. Some of the weight introduced by these improvements can be recouped by using lightweight ceramic composite structures providing protection against ballistic rounds and fragmentation in other parts of the vehicles. With the ceramic materials leading the way in offering protection at the lowest areal densities, exceptional protection can be provided within the overall weight budget. A variety of standard ceramic components such as cylinders/pellets, hexagons and plates/tiles, are used to build armor panels for vehicles. With weight becoming increasingly more important, 3M™ Sintered Silicon Carbide components are the perfect solution for this application. The achievable reduction in weight

has an immediate positive impact on airlift capability, payload, floatability, fuel consumption, cruising range, lifecycle cost and overall through-life reliability of the vehicle.

## Aircraft Armor

When it comes to ballistic protection of aircrafts, it's all about weight. Since the 1960s the plant in Kempten has supplied hot pressed boron carbide tiles for helicopter seats. Over time the geometries have become more complex, and as a result, precut ceramic panels in 3M™ Boron Carbide and 3M™ Sintered Silicon Carbide are playing a more and more important role in today's designs. Composite armor systems based on these materials offer highest protection in combination with significant reduction in weight.

## 3M Technical Ceramics

The Company is a leading supplier of boron carbide powders and components for ballistic protection. Besides armor applications, 3M Technical Ceramics offers advanced ceramic products for wide-ranging industrial applications.

**Product is manufactured and sold by 3M Technical Ceramics, Zweigniederlassung der 3M Deutschland GmbH.**

**Warranty and Limitation of Liability:** Many factors beyond our control and uniquely within user's knowledge and control can affect the use and performance of the product in a particular application. User is solely responsible for evaluating the product and determining whether it is fit for a particular purpose and suitable for user's method of application. User is solely responsible for evaluating third party intellectual property rights and for ensuring that user's use of the product does not violate any third party intellectual property rights. Unless a different warranty is specifically stated in the applicable product literature or packaging insert, we warrant that each product meets the applicable product specification at the time we ship the product.

WE MAKE NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OF NON-INFRINGEMENT OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE.

The quality of our products is warranted under our General Terms and Conditions of Sale as now are or hereafter may be in force.

**Limitation of Liability:** Except where prohibited by law, we will not be liable for any loss or damages arising from the product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability. We accept liability for intent and gross negligence. We are also liable for any culpable breach of major contractual obligations; however, if a breach of major contractual obligations is due to negligence, our liability is limited to the foreseeable damage associated with this type of contract. This does not affect our liability for culpable fatal or bodily injury or damage to health; this also applies to liability under the Product Liability Act (*Produkthaftungsgesetz*). Other claims for compensation are excluded.

**Technical Information:** Technical information, recommendations, and other statements contained in this document or provided by us are based on tests or experience that we believe are reliable, but the accuracy or completeness of such information is not guaranteed. Such information is intended for persons with knowledge and technical skills sufficient to assess and apply their own informed judgment to the information. No license under any of our or third party intellectual property rights is granted or implied with this information.



### 3M Technical Ceramics

Zweigniederlassung der  
3M Deutschland GmbH  
Max-Schaidhauf-Straße 25  
87437 Kempten, Germany  
T +49 (0)831 5618-0  
F +49 (0)831 5618-345  
info.technical-ceramics@3M.com  
www.3M.de / Technical-Ceramics

The management system has been certified according to DIN EN ISO 9001, DIN EN ISO 50001, DIN EN ISO 14001.

Please recycle. Printed in Germany.  
© 3M 2015. All rights reserved.  
Issued: 09/15

**3M is a trademark of 3M.  
Used under license by  
3M subsidiaries and affiliates.**